

LPA 001 ALUMINIUM POLE

1:20 SCALE

DESCRIPTION

STRUCTURE

Tapered pole made of laminated aluminum.
EN AW 6060 equipped with hatch for wiring compartment.

EN AW 5754 die-cast aluminum base.
224/180/8 mm.

120/60 mm pole body.

Stainless steel hardware.


FINISHING

Aluminum grinding, protection option with elastomer in the same color as the pole up to the height of 350 mm.
(another height at customer's request).

For details on the two types of ground anchoring, refer to the technical drawing.

ANODIZING PROCESS

Anodizing in 10 colors with the possibility of brightening consisting of the formation of an oxide layer on the surface of the metal by means of electrochemical method.




TECHNICAL DATA

HEIGHT m	THICKNESS mm	WEIGHT Kg	BASE mm	TOP' mm	FLANGE mm	FLANGE FIXING mm	GROUNDING mm
3	4,3	12,6	120	60	224x224	4x M14	



PASSIVE SECURITY | Class 100NE2

No Resistance



FLANGE DETAILS

ANODIZING CODES

									
C35	CI75	CI63	CI65	C34	CI78	C33	C32	C45	C0
BLACK	GREEN	GREY	GRAPHITE	BROWN	ANTHRACITE	OLIVE	CHAMPAGNE	INOX	NATURAL